PLEASE NOTE: The tables are presented to facilitate comparisons among a family of materials to help customers select the best SRM for their needs. For specific values and uncertainties, the certificate is the only official source.

SRM	1646a	1944	2586	2587	2701	2702	2703	2709a	2710a	2711a	2780	2781
Description	Estuarine Sediment		Trace Elements in Soil (contains lead from paint)	Trace Elements in Soil (contains lead from paint)	Hexavalent Chromium in Contaminated Soil (High Level)	Inorganics in Marine Sediment	Sediment for Solid Sampling (Small, Sample) Analytical Techniques	San Joaquin Soil	Montana I Soil	Montana II Soil	Hard Rock Mine Waste	Domestic Sludge
Unit of Issue	(70 g)	(50 g)	(55 g)	(55 g)	(75 g)	(50 g)	(5 g)	(50 g)	(50 g)	(50 g)	(50 g)	(40 g)
				(Conce	ntrations are in	mass fractio	ns, in mg/kg,	unless no	ted as %)			
Aluminum	2.297 %	5.33%	6.652%	5.86 %	5.05 %	8.41 %	8.33 %	7.37 %	5.95 %	6.72 %	8.87 %	1.6 %
Antimony	(0.3)	4.6				5.60	5.62	1.55	52.5	23.8	(160)	
Arsenic	6.23	18.9	8.7	13.7		45.3	45.5	10.5	0.154%	107	48.8	7.82
Barium	(210)		413	568		397.4	416	979	792	730	993	
Beryllium	(< 1)	1.6	(1.4)	(9.2)		(3.0)						
Boron								(74)	(20)	(50)		
Bromine		86										
Cadmium	0.148	8.8	2.71	1.92		0.817	0.811	0.371	12.3	54.1	12.10	12.78
Calcium	0.519 %	1.0 %	2.218 %	0.927 %	7.47 %	0.343 %	0.31%	1.91 %	0.964 %	2.42 %	0.195 %	3.9 %
Carbon (organic)						(3.27 %)						
Carbon (total)						(3.36 %)						
Cerium	(34)	(65)	58	(57)		123.4	125.5	42	(60)	(70)	(64)	
Cesium		3.0				(7.1)	7.7	5.0	8.25	6.7	(13)	
Chlorine		1.4 %										
Chromium	40.9	266	301	92	4.26 %	352		130	23	52.3	(44)	202
				(Conce	ntrations are in	mass fractio	ns, in mg/kg,	unless no	ted as %)			
Cobalt	(5)	14	(35)	(14)		27.76	27.70	12	5.99	9.89	(2.2)	
Copper	10.01	380	(81)	(160)		117.7	120	33.9	0.342%	140	215.5	627.4
Dysprosium			(5.4)					(3)	(3)	(5)		
Erbium			(3.3)									
Europium		(1.3)	(1.5)					0.83	0.82	1.1		
Gadolinium			(5.8)					3.0	3.0	(5)		
Gallium	(5)		(14)	(13)		24.3					(26)	
Gold		(0.10)							(0.2)		(0.18)	
Hafnium						(12.6)	11.8	(4)	(7)	9.2	(4.4)	
Hexavalent Cr					551.2							
Holmium			(1.1)								(0.84)	
Indium									(7)	(1)		
Iron (total)	2.008 %	3.53 %	5.161 %	2.813 %	23.73 %	7.91 %	7.38 %	3.36 %	4.32 %	2.82 %	2.784	2.8 %
Lanthanum				(00)		70 5		21.7	30.6	38	(00)	
	(17)	(39)	29.7	(29)		73.5	75.9				(38)	
Lead	(17) 11.7	330	432	3242 (32)		132.8	75.9 130	17.3	0.552%	0.140 %	0.577	202.1

<sup>\*</sup> Determination made in parent material (SRM 2702)

Certified values are normal font. Reference values are italicized.

<sup>\*\*</sup> These SRMs also have noncertified leach data. The leach data for SRMs 2709, 2710, and 2711 are based on EPA Method 3050; the leach data for SRM 2781and 2782 are based on EPA Methods 3050 and 3051.

PLEASE NOTE: The tables are presented to facilitate comparisons among a family of materials to help customers select the best SRM for their needs. For specific values and uncertainties, the certificate is the only official source.

2782	8704

Industrial Sludge (70 g)	Buffalo River Sediment (50 g)
1.37 %	6.10 %
(2.0)	3.07
166	(17)
254	413
4.17	2.94
0.67 %	2.641 %
(2.1 %)	3.351 %
1240	66.5
	5.83
109	121.9

66.3	13.57
2594	
(0.34)	1.31
35	
(2.2)	
(0.77)	8.4
238	
26.9 %	3.97 %
58.1	
574	150
(5.0)	

<sup>\*</sup> Determination made in parent material (SRM 2702)

Certified values are normal font.

Reference values are italicized.

<sup>\*\*</sup> These SRMs also have noncertified leach data. The leach data for SRMs 2709, 2710, and 2711 are based on EPA Method 3050; the leach data for SRM 2781 and 2782 are based on EPA Methods 3050 and 3051.

PLEASE NOTE: The tables are presented to facilitate comparisons among a family of materials to help customers select the best SRM for their needs. For specific values and uncertainties, the certificate is the only official source.

### (Concentrations are in mass fractions, in mg/kg, unless noted as %)

Lutetium								(0.3)	0.31	(0.5)		
								, ,		. ,		
Magnesium	0.388 %	(1.0 %)	1.707 %	0.669 %	7.47 %	0.990 %	(1.0 %)	1.46 %	0.734 %	1.07 %	0.533 %	0.59 %
Manganese	234.5	505	1000	651	0.2137 %	1757	1734	529	0.214 %	675	462	
Mercury	(0.04)	3.4	0.367	0.290		0.4474	0.474	0.9	9.88	7.42	0.710	3.64
Molybdenum	(1.8)					10.8	(11)*				(11)	46.7
Neodymium	(15)		26.4	(25)		(56)	(72)	(17)	22	29	(28)	
Nickel	(23)	76.1	(75)	(36)		75.4	(75)*	85	8	21.7	(12)	80.2
Niobium			(6)	(14)		(63)	(63)*				(18)	
Nitrogen												4.78 %
Phosphorus	0.027 %		1001	970		0.1552 %	(0.16 %)*	0.0688 %	0.105 %	842	427	2.42 %
Potassium	0.864 %	1.6 %	0.976 %	1.583 %	0.174 %	2.054 %	2.08 %	2.11 %	2.17 %	2.53 %	3.38 %	0.49 %
Praseodymium			(7.3)									
Rubidium	(38)	75				127.7	130	99	117	120	(175)	
Samarium			(6.1)			(10.8)	10.8	(4)	4	5.93		
Scandium	(5)	10.2	(24)	(11)		25.9	25.95	11.1	9.9	8.5	(23)	
Selenium	0.193	1.4	(0.6)			4.95	(4.9)*	(1.5)	(1)	(2)	(5)	16.0

### (Concentrations are in mass fractions, in mg/kg, unless noted as %)

Silicon	40.0 %	_,_,										
			29.15 %	33.13 %	4.17 %			30.3 %	31.1 %	31.4 %	(31 %)	(5.1 %)
		31 %	29.15 %	33.13 %	4.17 %			30.3 %			. ,	
Silver	(<0.3)	6.4				0.622	0.59		(40)	(6)	(27)	98
Sodium	0.741 %	1.9 %	0.468 %	1.127 %	0.255 %	0.681 %	0.693 %	1.22 %	0.894 %	1.20 %	0.221 %	0.21 %
Strontium	(68)		84.1	126		119.7	118	239	255	242	217	
Sulfur	0.352 %					(1.5 %)					1.263 %	
antalum								(0.7)	(0.9)	(1)		
ellurium											(5)	
erbium			(0.9)					(0.5)	(0.5)	(8.0)	(0.58)	
hallium	(< 0.5)	0.59				0.8267	(0.83)*	0.58	1.52	(3)	(5)	
horium	(5.8)	(13)	(7)	(7.5)		20.51	20.22	10.9	18.1	15	(12)	
hulium			(0.5)				(32)*				(0.4)	
in		42				31.6						
itanium	0.456 %	4300	0.605 %	3920	0.547 %	0.884 %	0.880 %	0.336 %	0.311 %	0.317 %	0.699 %	0.32 %
ungsten						(6.2)	6.4		(190)		(24)	
Jranium	(2.0)	(3.1)				(10.4)		3.15	9.11	3.01	(4)	
/anadium	44.84	100	(160)	(78)	0.236 %	357.6	360	110	82	80.7	268	

### (Concentrations are in mass fractions, in mg/kg, unless noted as %)

•											
Ytterbium			2.64	(1.6)			(2)	(2)	(3)		
Yttrium			(21)	(15)							
Zinc	48.9	656	352	335.8	485.3	480	103	0.418%	414	0.257	1273

<sup>\*</sup> Determination made in parent material (SRM 2702)

Certified values are normal font.

Reference values are italicized.

<sup>\*\*</sup> These SRMs also have noncertified leach data. The leach data for SRMs 2709, 2710, and 2711 are based on EPA Method 3050; the leach data for SRM 2781 and 2782 are based on EPA Methods 3050 and 3051.

PLEASE NOTE: The tables are presented to facilitate comparisons among a family of materials to help customers select the best SRM for their needs. For specific values and uncertainties, the certificate is the only official source.

0.26 %	1.200 %
(300)	544
1.10	
10.07	
154.1	42.9
0.50 %	
0.32 %	2.001 %
(23)	
(1.3)	
(3.4)	11.26
0.44	

(20.3 %)	
30.6	
1.30 %	0.553 %
(0.2 %)	
(0.73)	
(0.48)	
(2.4)	9.07
880	0.457 %
8.3	3.09
80	94.6

(0.74)	
(10)	
1254	408

<sup>\*</sup> Determination made in parent material (SRM 2702)

Certified values are normal font. Reference values are italicized.

<sup>\*\*</sup> These SRMs also have noncertified leach data. The leach data for SRMs 2709, 2710, and 2711 are based on EPA Method 3050; the leach data for SRM 2781 and 2782 are based on EPA Methods 3050 and 3051.

PLEASE NOTE: The tables are presented to facilitate comparisons among a family of materials to help customers select the best SRM for their needs. For specific values and uncertainties, the certificate is the only official source.

**Zirconium** 195 (200) (176)

Certified values are normal font. Reference values are italicized.

<sup>\*</sup> Determination made in parent material (SRM 2702)

<sup>\*\*</sup> These SRMs also have noncertified leach data. The leach data for SRMs 2709, 2710, and 2711 are based on EPA Method 3050; the leach data for SRM 2781 and 2782 are based on EPA Methods 3050 and 3051.

PLEASE NOTE: The tables are presented to facilitate comparisons among a family of materials to help customers select the best SRM for their needs. For specific values and uncertainties, the certificate is the only official source.

Certified values are normal font. Reference values are italicized.

<sup>\*</sup> Determination made in parent material (SRM 2702)

<sup>\*\*</sup> These SRMs also have noncertified leach data. The leach data for SRMs 2709, 2710, and 2711 are based on EPA Method 3050; the leach data for SRM 2781 and 2782 are based on EPA Methods 3050 and 3051.